Index to Volume 69, 2004

	Issue	Page
A classification for the pressure-sensitivity properties of a sandstone rock frame, C. MacBeth	2	497
A comparison between one-way and two-way wave-equation migration, Wim A. Mulder and René-Édouard Plessix	6	1491
A comparison of the inductive-limit footprints of airborne electromagnetic configurations, James E. Reid and Julian Vrbancich	5	1229
A new method to determine phase velocities of Rayleigh waves from microseisms, Ikuo Cho, Taku Tada, and Yuzo Shinozaki	6	1535
A parallel finite-difference approach for 3D transient electromagnetic modeling with galvanic sources, Michael Commer and Gregory Newman	5	1192
A practical method for estimating effective parameters of anisotropy from reflection seismic data, J. H. Isaac and D. C. Lawton	3	681
A simple derivation of the effective stress coefficient for seismic velocities in porous rocks, B. Gurevich	2	393
Abraham, J. D., see Ellefsen, K. J.	1	56
Accurate spatial directional derivative: Antialiasing Kirchhoff migration, C. Wang	3	811
Alkhalifah, T. T., Numerical analysis of the azimuth moveout operator for vertically inhomogeneous media	2	554
Alpak, Faruk O., Joint inversion of transient-pressure and dc resistivity measurements acquired with in-situ permanent sensors: A numerical study	5	1173
Alumbaugh, D. L., see Tompkins, M. J.	1	140
Alvarez, G., Relative performance of moveout-based multiple-suppression methods for amplitude variation with offset (AVO) analysis and common midpoint (CMP) stacking	1	275
An amplitude-based multiazimuthal approach to mapping fractures using P-wave 3D seismic data, M. Luo and B. J. Evans	3	690
An analytical method to estimate shadow and source overprint effects in CSAMT sounding, S. Yan and J. Fu	1	161
Analyzing three-component 3D vertical seismic profiling data, J. S. Gulati, R. R. Stewart, and J. M. Parkin	2	386
Angle-domain common-image gathers for migration velocity analysis by wavefield-continuation imaging, Biondo Biondi and William W. Symes	5	1283
Anno, Phil D., see Yu, Zhou	6	1505
Appel, E., see Becht, A.	1	222
Ascher, Uri M., see Haber, Eldad	5	1216
Astin, T., see Dasios, A.	2	378
Asvadurov, S., Finite-difference modeling of viscoelastic materials with quality factors of arbitrary magnitude	3	817
Atekwana, Eliot A., see Atekwana, Estella A.	1	56
Atekwana, Estella A., In-situ apparent conductivity measurements and microbial population distribution at a hydrocarbon-contaminated site	1	56
Attitude corrections of helicopter EM data using a superposed dipole model, C. Yin and D. C. Fraser	2	431
Auken, E., Layered and laterally constrained 2D inversion of resistivity data	3	752
Automatic determination of the magnetization-density ratio and magnetization inclination from the joint interpretation of 2D gravity and magnetic anomalies, Carlos Alberto Mendonça	4	938
Avseth, Per, see Eidsvik, Jo	4	978
Bachrach, Ran, Portable dense geophone array for shallow and very shallow 3D seismic reflection surveying: Part 1 — Data acquisition, QC, and processing	6	1443
Bachrach, Ran, Portable dense geophone array for shallow and very shallow 3D seismic reflection surveying: Part 2 — 3D imaging tests	6	1456
Bachrach, Ran, The effect of texture and porosity on seismic reflection amplitude in granular sediments: Theory and examples from high-resolution shallow seismic experiment	6	1513
Bagaini, Claudio, see Schleicher, Jörg	5	1299
Bakulin, A., see Prioul, R.	2	415
Bakulin, V., see Prioul, R.	2	415
Baradello, L., Fast monostatic GPR modeling	2	466
Barbosa, Valéria C. F., see Silva, João B. C.	6	1405
Barrash, W., see Moret, G. J. M.	2	345
Batzle, M. L., see Han, D.	2	398
Beard, L. P., Field tests of an experimental helicopter time-domain electromagnetic system for unexploded ordnance detection	3	664
Becht, A., Inversion strategy in crosshole radar tomography using information of data subsets	1	222
Behrens, Ron, see Vasco, Don W.	6	1425
Bell, D. T., see Beard, L. P.	3	664
Bellefleur, G., Downhole seismic imaging of a massive sulfide orebody with mode-converted waves, Halfmile lake, New Brunswick, Canada	2	318
Bentley, L. R., Two- and three-dimensional electrical resistivity imaging at a heterogeneous remediation site	3	674
Beresnev, Igor A., see Lebedev, Andrey V.	4	968
Bergman, Björn, High-resolution seismic traveltime tomography incorporating static corrections applied to a till-covered bedrock environment	4	1082

Index to Volume 69, 2004

	Issue	Page
A classification for the pressure-sensitivity properties of a sandstone rock frame, C. MacBeth	2	497
A comparison between one-way and two-way wave-equation migration, Wim A. Mulder and René-Édouard Plessix	6	1491
A comparison of the inductive-limit footprints of airborne electromagnetic configurations, James E. Reid and Julian Vrbancich	5	1229
A new method to determine phase velocities of Rayleigh waves from microseisms, Ikuo Cho, Taku Tada, and Yuzo Shinozaki	6	1535
A parallel finite-difference approach for 3D transient electromagnetic modeling with galvanic sources, Michael Commer and Gregory Newman	5	1192
A practical method for estimating effective parameters of anisotropy from reflection seismic data, J. H. Isaac and D. C. Lawton	3	681
A simple derivation of the effective stress coefficient for seismic velocities in porous rocks, B. Gurevich	2	393
Abraham, J. D., see Ellefsen, K. J.	1	56
Accurate spatial directional derivative: Antialiasing Kirchhoff migration, C. Wang	3	811
Alkhalifah, T. T., Numerical analysis of the azimuth moveout operator for vertically inhomogeneous media	2	554
Alpak, Faruk O., Joint inversion of transient-pressure and dc resistivity measurements acquired with in-situ permanent sensors: A numerical study	5	1173
Alumbaugh, D. L., see Tompkins, M. J.	1	140
Alvarez, G., Relative performance of moveout-based multiple-suppression methods for amplitude variation with offset (AVO) analysis and common midpoint (CMP) stacking	1	275
An amplitude-based multiazimuthal approach to mapping fractures using P-wave 3D seismic data, M. Luo and B. J. Evans	3	690
An analytical method to estimate shadow and source overprint effects in CSAMT sounding, S. Yan and J. Fu	1	161
Analyzing three-component 3D vertical seismic profiling data, J. S. Gulati, R. R. Stewart, and J. M. Parkin	2	386
Angle-domain common-image gathers for migration velocity analysis by wavefield-continuation imaging, Biondo Biondi and William W. Symes	5	1283
Anno, Phil D., see Yu, Zhou	6	1505
Appel, E., see Becht, A.	1	222
Ascher, Uri M., see Haber, Eldad	5	1216
Astin, T., see Dasios, A.	2	378
Asvadurov, S., Finite-difference modeling of viscoelastic materials with quality factors of arbitrary magnitude	3	817
Atekwana, Eliot A., see Atekwana, Estella A.	1	56
Atekwana, Estella A., In-situ apparent conductivity measurements and microbial population distribution at a hydrocarbon-contaminated site	1	56
Attitude corrections of helicopter EM data using a superposed dipole model, C. Yin and D. C. Fraser	2	431
Auken, E., Layered and laterally constrained 2D inversion of resistivity data	3	752
Automatic determination of the magnetization-density ratio and magnetization inclination from the joint interpretation of 2D gravity and magnetic anomalies, Carlos Alberto Mendonça	4	938
Avseth, Per, see Eidsvik, Jo	4	978
Bachrach, Ran, Portable dense geophone array for shallow and very shallow 3D seismic reflection surveying: Part 1 — Data acquisition, QC, and processing	6	1443
Bachrach, Ran, Portable dense geophone array for shallow and very shallow 3D seismic reflection surveying: Part 2 — 3D imaging tests	6	1456
Bachrach, Ran, The effect of texture and porosity on seismic reflection amplitude in granular sediments: Theory and examples from high-resolution shallow seismic experiment	6	1513
Bagaini, Claudio, see Schleicher, Jörg	5	1299
Bakulin, A., see Prioul, R.	2	415
Bakulin, V., see Prioul, R.	2	415
Baradello, L., Fast monostatic GPR modeling	2	466
Barbosa, Valéria C. F., see Silva, João B. C.	6	1405
Barrash, W., see Moret, G. J. M.	2	345
Batzle, M. L., see Han, D.	2	398
Beard, L. P., Field tests of an experimental helicopter time-domain electromagnetic system for unexploded ordnance detection	3	664
Becht, A., Inversion strategy in crosshole radar tomography using information of data subsets	1	222
Behrens, Ron, see Vasco, Don W.	6	1425
Bell, D. T., see Beard, L. P.	3	664
Bellefleur, G., Downhole seismic imaging of a massive sulfide orebody with mode-converted waves, Halfmile lake, New Brunswick, Canada	2	318
Bentley, L. R., Two- and three-dimensional electrical resistivity imaging at a heterogeneous remediation site	3	674
Beresnev, Igor A., see Lebedev, Andrey V.	4	968
Bergman, Björn, High-resolution seismic traveltime tomography incorporating static corrections applied to a till-covered bedrock environment	4	1082

	Issue	Page
Bernasconi, G., High-quality compression of MWD signals	3	849
Binley, A., see Kemna, A.	1	97
Biondi, Biondo, Angle-domain common-image gathers for migration velocity analysis by wavefield-continuation imaging	5	1283
Biondi, B. L., see Clapp, R. G.	2	533
Biondi, B. L., see Alkhalifah, T. T.	2	554
Blankenship, D. D., see Tsoflias, G. P.	3	803
Bohlen, T., see Saenger, E. H.	2	583
Bohlen T., 1.5D inversion of lateral variation of Scholte-wave dispersion	2	330
Bosch, Miguel, The optimization approach to lithological tomography: Combining seismic data and petrophysics for porosity prediction	5	1272
Briggs, Victoria A., see Malinverno, Alberto	4	1005
Bryant, S., see Minkoff, S. E.	1	200
Byun, J., see Hoversten, G. M.	2	406
Cai, Yongen, see Zhang, Jian	4	917
Calandra, Henri, see Xu, Sheng	5	1320
Carcione, J. M., see Baradello, L.	2	466
Carcione, J. M., The physics and simulation of wave propagation at the ocean bottom	3	825
Cassidy, D. P., see Atekwana, Estella A.	1	56
Castagna, J. P., see Saleh, A. A.	1	45
Cawley, P., see Long, R.	2	460
Chakravarthi, Vishnubhotla, Ridge-regression algorithm for gravity inversion of fault structures with variable density	6	1394
Characterization of a fractured granite using radio magnetotelluric (RMT) data, Niklas Linde and Laust B. Pedersen	5	1155
Chen, J., Specular ray parameter extraction and stationary-phase migration	1	249
Cheng, Win-Bin, see Zhang, Jian	4	917
Chi, Wu-Cheng, see Zhang, Jian	4	917
Cho, Ikuo, A new method to determine phase velocities of Rayleigh waves from microseisms	6	1535
Chow, J., see Sun, R.	1	286
Christiansen, A. V., see Auken, E.	3	752
Ciz, Radim, see Gurevich, Boris	6	1372
Claerbout, J., see Guitton, A.	2	608
Claerbout, J. F., see Clapp, R. G.	2	533
Clapp, R. G., Incorporating geologic information into reflection tomography	2	533
Clapp, Robert G., see Liner, Christopher L.	6	1552
Clarification of the geophysical definition of a gravity field, Hualin Zeng and Tianfeng Wan	5	1252
Clement, W. P., see Moret, G. J. M.	2	345
Clowes, Ron M., see Hammer, Philip T. C.	5	1143
Commer, Michael, A parallel finite-difference approach for 3D transient electromagnetic modeling with galvanic sources	5	1192
Condon, Pat, see Vasco, Don W.	6	1425
Constable, S., see de Groot-Hedlin, C.	1	78
Contributors	1	307
	2	643
	3	870
	4	1118
	5	1366
	6	1580
Controlling amplitudes in 2.5D common-shot migration to zero offset, Jörg Schleicher and Claudio Bagaini	5	1299
Çoruh, C., see Ellison, S. J.	1	25
Coupled geomechanics and flow simulation for time-lapse seismic modeling, S. E. Minkoff, C. M. Stone, S. Bryant, and M. Peszynska	1	200
Crosshole IP imaging for engineering and environmental applications, A. Kemna, A. Binley, and L. Slater	1	97
Crosswell electromagnetic and seismic imaging: An examination of coincident surveys at a steam flood project, G. M. Hoversten, P. Milligan, J. Byun, J. Washbourne, L. C. Knauer, and P. Harness	2	406
Crosswell seismic imaging in a contaminated basalt aquifer, T. M. Daley, E. L. Majer, and J. E. Peterson	1	16
Daley, T. M., Crosswell seismic imaging in a contaminated basalt aquifer	1	16
Daley, T. M., see Korneev, V. A.	2	522
Dasios, A., Least-squares inversion of in-situ sonic Q measurements: Stability and resolution	2	378
Data-driven adaptive decomposition of multicomponent seabed recordings, Remco Muijs, Johan O. A. Robertsson, and Klaus Holliger	5	1329
Datta-Gupta, Akhil, see Vasco, Don W.	6	1425
de Groot-Hedlin, C., Inversion of magnetotelluric data for 2D structure with sharp resistivity contrasts	1	78
Denneman, Arthur I. M., see Gurevich, Boris	6	1372
Design of one-way wavefield extrapolation operators, using smooth functions in WLSQ optimization, Jan W. Thorbecke, Kees Wapenaar, and Gerd Swinnen	4	1037

	Issue	Page
Determination of relative angles and anisotropic resistivity using multicomponent induction logging data, Zhiyi Zhang, Liming Yu, Berthold Kriegshäuser, and Lev Tabarovsky	4	898
Di, Q., Migration of ground-penetrating radar data with a finite-element method that considers attenuation and dispersion	2	472
Dietrich, P., see Becht, A.	1	222
Diffraction imaging by focusing-defocusing: An outlook on seismic superresolution, Valery Khaidukov, Evgeny Landa, and Tijmen Jan Moser	6	1478
Discontinuity characterization by the inversion of the spectral content of GPR reflections: Application of the Jonscher model, Colette Grégoire and Fabrice Hollender	6	1414
Discussion and Reply	2	617
	4	1102
	6	1569
Doll, W. E., see Beard, L. P.	3	664
Dorrington, K. P., Genetic-algorithm/neural-network approach to seismic attribute selection for well-log prediction	1	212
Downhole seismic imaging of a massive sulfide orebody with mode-converted waves, Halfmile lake, New Brunswick, Canada, G. Bellefleur, C. Müller, D. Snyder, and L. Matthews	2	318
Dreger, Douglas, see Zhang, Jian	4	917
Drijkoningen, Guy, see Jocker, Jeroen	4	1071
Duris, J. W., see Atekwana, Estella A.	1	56
Duveneck, E., Velocity model estimation with data-derived wavefront attributes	1	265
Eaton, D., Skeletonization of aeromagnetic data	2	478
Effect of bird maneuver on frequency-domain helicopter EM response, David V. Fitterman and Changchun Yin	5	1203
Effects of gas- and water-filled boreholes on the amplitudes of crosshole georadar data as inferred from experimental evidence, Jens Tronicke and Klaus Holliger	5	1255
Efficient automatic denoising of gravity gradiometry data, J. C. S. de O. Lyrio, L. Tenorio, and Y. Li	3	772
Efficient waveform inversion and imaging: A strategy for selecting temporal frequencies, L. Sirgue and R. G. Pratt	1	231
Eidsvik, Jo, Stochastic reservoir characterization using prestack seismic data	4	978
Elastic impedance inversion of multichannel seismic data from unconsolidated sediments containing gas hydrate and free gas, S. Lu and G. A. McMechan	1	164
Eldiwany, E. A., see El-Kaliouby, H. M.	2	426
Electromagnetic detection of buried metallic objects using quad-quad conductivity, Haoping Huang and I. J. Won	6	1387
El-Kaliouby, H. M., Transient electromagnetic responses of 3D polarizable body	2	426
Ellefsen, K. J., Numerical study of electromagnetic waves generated by a prototype dielectric logging tool	1	64
Ellis, Robert, see Zhdanov, Michael S.	4	925
Ellison, S. J., Modeling offset-dependent reflectivity for time-lapse monitoring of water-flood production in thin-layered reservoirs	1	25
Errata	1	306
Estimating depth and model type using the continuous wavelet transform of magnetic data, M. A. Vallée, P. Keating, R. S. Smith, and C. St-Hilaire	1	191
Estimation of effective porosity using geostatistics and multiattribute transforms: A case study, A. G. Pramanik, V. Singh, R. Vig, A. K. Srivastava, and D. N. Tiwary	2	352
Evans, B. J., see Luo, M.	3	690
Evidence of electrical anisotropy in limestone formations using the RMT technique, Niklas Linde and Laust B. Pedersen	4	909
Expanded uncertainty quantification in inverse problems: Hierarchical Bayes and empirical Bayes, Alberto Malinverno and Victoria A. Briggs	4	1005
Experimental design: Electrical resistivity data sets that provide optimum subsurface information, P. Stummer, H. Maurer, and A. G. Green	1	120
Fairhead, J. D., see Mushayandebvu, M. F.	2	489
Fast migration/inversion with multivalued ray fields: Part 1 — Method, validation test, and application in 2D to Marmousi, Sheng Xu and Gilles Lambaré	5	1311
Fast migration/inversion with multivalued ray fields: Part 2 — Applications to the 3D SEG/EAGE salt model, Sheng Xu, Gilles Lambaré, and Henri Calandra	5	1320
Fast monostatic GPR modeling, L. Baradello, J. M. Carcione, and D. Gei	2	466
Ferguson, John F., see Yu, Zhou	6	1505
Ferguson, R. J., see Kumar, D.	1	37
Field tests of an experimental helicopter time-domain electromagnetic system for unexploded ordnance detection, L. P. Beard, W. E. Doll, J. S. Holladay, T. J. Gamey, J. L. C. Lee, and D. T. Bell	3	664
Finite-difference modeling of electromagnetic tool response for logging while drilling, T. Wang and J. Signorelli	1	152

	Issue	Page
Finite-difference modeling of viscoelastic and anisotropic wave propagation using the rotated staggered grid, E. H. Saenger and T. Bohlen	2	583
Finite-difference modeling of viscoelastic materials with quality factors of arbitrary magnitude, S. Asvadurov, L. Knizhnerman, and J. Pabon	3	817
Fitterman, David V., Effect of bird maneuver on frequency-domain helicopter EM response	5	1203
Fraser, D. C., see Yin, C.	2	431
Fu, J., see Yan, S.	1	161
Fu, L.-Y., Wavefield interpolation in the Fourier wavefield extrapolation	1	257
Fu, Li-Yun, Joint inversion of seismic data for acoustic impedance	4	994
Fuqua, A. D., see Ellison, S. J.	1	25
Gamey, T. J., see Beard, L. P.	3	664
Gao, Dengliang, Texture model regression for effective feature discrimination: Application to seismic facies visualization and interpretation	4	958
Gassmann's equation and fluid-saturation effects on seismic velocities, D. Han and M. L. Batzle	2	398
Gei, D., see Baradello, L.	2	466
Generalized radial inversion of 2D potential-field data, João B. C. Silva and Valéria C. F. Barbosa	6	1405
Genetic-algorithm/neural-network approach to seismic attribute selection for well-log prediction, K. P. Dorrington and C. A. Link	1	212
Gharibi, M., see Bentley, L. R.	3	674
Ghose, R., Integrating S-wave seismic reflection data and cone penetration test data using a multiangle multiscale approach	2	440
Goloshubin, G. M., see Korneev, V. A.	2	522
Goudswaard, J., see Ghose, R.	2	440
Grechka, V., Shear waves in acoustic anisotropic media	2	576
Green, A. G., see Stummer, P.	1	120
Grégoire, Colette, Discontinuity characterization by the inversion of the spectral content of GPR reflections: Application of the Jonscher model	6	1414
Grid Euler deconvolution with constraints for 2D structures, M. F. Mushayandebvu, V. Lesur, A. B. Reid, and J. D. Fairhead	2	489
Ground-roll suppression from deep crustal seismic reflection data using a wavelet-based approach: A case study from western Canada, J. Kim Welford and Rongfeng Zhang	4	877
Guitton, A., Interpolation of bathymetry data from the Sea of Galilee: A noise attenuation problem	2	608
Guitton, Antoine, Amplitude and kinematic corrections of migrated images for nonunitary imaging operators	4	1017
Gulati, J. S., Analyzing three-component 3D vertical seismic profiling data	2	386
Gurevich, B., A simple derivation of the effective stress coefficient for seismic velocities in porous rocks	2	393
Gurevich, Boris, see Müller, Tobias M.	5	1166
Gurevich, Boris, Simple expressions for normal-incidence reflection coefficients from an interface between fluid-saturated porous materials	6	1372
Habashy, Tarek M., see Alpak, Faruk O.	5	1173
Haber, Eldad, Inversion of 3D electromagnetic data in frequency and time domain using an inexact all-at-once approach	5	1216
Hackert, Chris L., Improving Q estimates from seismic reflection data using well-log-based localized spectral correction	6	1521
Hagin, P. N., Viscous deformation of unconsolidated reservoir sands — Part 1: Time-dependent deformation, frequency dispersion, and attenuation	3	731
Hagin, P. N., Viscous deformation of unconsolidated reservoir sands — Part 2: Linear viscoelastic models	3	742
Hammer, Philip T. C., High-resolution seismic reflection imaging of a thin, diamondiferous kimberlite dyke	5	1143
Han, D., Gassmann's equation and fluid-saturation effects on seismic velocities	2	398
Harness, P., see Hoversten, G. M.	2	406
Helle, H. B., see Carcione, J. M.	3	825
Henry, S. C., see Ellison, S. J.	1	25
High-quality compression of MWD signals, G. Bernasconi and V. Rampa	3	849
High-resolution seismic reflection imaging of a thin, diamondiferous kimberlite dyke, Philip T. C. Hammer, Ron M. Clowes, and Kumar Ramachandran	5	1143
High-resolution seismic traveltime tomography incorporating static corrections applied to a till-covered bedrock environment, Björn Bergman, Ari Tryggvason, and Christopher Juhlin	4	1082
Hokstad, K., Nonlinear and dispersive acoustic wave propagation	3	840
Holladay, J. S., see Beard, L. P.	3	664
Hollender, Fabrice, see Grégoire, Colette	6	1414
Holliger, Klaus, see Muijs, Remco	5	1329
Holliger, Klaus, see Tronicke, Jens	5	1255

	Issue	Page
Hördt, A., The effect of local distortions on time-domain electromagnetic measurements	1	87
Hoversten, G. M., Crosswell electromagnetic and seismic imaging: An examination of coincident surveys at a steam flood project	2	406
Hsiao, H-H., see Sun, R.	1	286
Huang, Haoping, Electromagnetic detection of buried metallic objects using quad-quad conductivity	6	1387
Imaging near-borehole structure using directional acoustic-wave measurement, Xiaoming M. Tang	6	1378
Imhof, M. G., see Ellison, S. J.	1	25
Impedance-type approximations of the P-P elastic reflection coefficient: Modeling and AVO inversion, L. T. Santos and M. Tygel	2	592
Improvement in GPR coherent noise attenuation using τ-p and wavelet transforms, L. Nuzzo and T. Quarta	3	78
Improving Q estimates from seismic reflection data using well-log-based localized spectral correction, Chris L. Hackert and Jorge O. Parra	6	1521
Incorporating geologic information into reflection tomography, R. G. Clapp, B. L. Biondi, and J. F. Claerbout	2	533
Induced polarization measurements on unsaturated, unconsolidated sands, C. Ulrich and L. Slater	3	762
In-situ apparent conductivity measurements and microbial population distribution at a hydrocarbon-contaminated site, Estella A. Atekwana, D. D. Werkema Jr., J. W. Duris, S. Rossbach, Eliot A. Atekwana, W. A. Sauck, D. P. Cassidy, J. Means, and F. D. Legall	1	56
Instructions to Authors	1	1
Integrating S-wave seismic reflection data and cone penetration test data using a multiangle multiscale approach, R. Ghose and J. Goudswaard	2	440
Intellectual Property	1	298
	2	629
	3	862
	4	1104
	5	1351
	6	1571
Interpolation of bathymetry data from the Sea of Galilee: A noise attenuation problem, A. Guitton and J. Claerbout	2	608
Inversion of 3D electromagnetic data in frequency and time domain using an inexact all-at-once approach, Eldad Haber, Uri M. Ascher, and Douglas W. Oldenburg	5	1216
Inversion of gravity-field inclination to map the basement relief of sedimentary basins, Carlos Alberto Mendonça	5	1240
Inversion of magnetotelluric data for 2D structure with sharp resistivity contrasts, C. de Groot-Hedlin and S. Constable	1	78
Inversion strategy in crosshole radar tomography using information of data subsets, A. Becht, J. Tronicke, E. Appel, and P. Dietrich	1	222
Isaac, J. H., A practical method for estimating effective parameters of anisotropy from reflection seismic data	3	681
Iversen, Einar, The isochron ray in seismic modeling and imaging	4	1053
Jocker, Jeroen, Matrix propagator method for layered porous media: Analytical expressions and stability criteria	4	1071
Joint inversion of seismic data for acoustic impedance, Li-Yun Fu	4	994
Joint inversion of transient-pressure and dc resistivity measurements acquired with in-situ permanent sensors: A numerical study, Faruk O. Alpak, Carlos Torres-Verdín, and Tarek M. Habashy	5	1173
Juhlin, Christopher, see Bergman, Björn	4	1082
Kalfsbeek, Alina, see Jocker, Jeroen	4	1071
Keating, P., see Vallée, M. A.	1	191
Keating, P., Use of the analytic signal to identify magnetic anomalies due to kimberlite pipes	1	180
Kemna, A., Crosshole IP imaging for engineering and environmental applications	1	97
Khaidukov, Valery, Diffraction imaging by focusing-defocusing: An outlook on seismic superresolution	6	1478
Kinematic artifacts in prestack depth migration, C. C. Stolk and W. W. Symes	2	562
Klein, G., see Bohlen, T.	2	330
Knauer, L. C., see Hoversten, G. M.	2	406
Knizhnerman, L., see Asvadurov, S.	3	817
Knoll, M. D., see Moret, G. J. M.	2	345
Korneev, V. A., Seismic low-frequency effects in monitoring fluid-saturated reservoirs	2	522
Kozlov, Evgenii A., Pressure-dependent seismic response of fractured rock	4	885
Kriegshäuser, Berthold, see Zhang, Zhiyi	4	898
Kugler, S., see Bohlen, T.	2	330
Kumar, D., Traveltime calculation and prestack depth migration in tilted transversely isotropic media	1	37

	Issue	Page
Lambaré, Gilles, see Xu, Sheng	5	1311
Lambaré, Gilles, see Xu, Sheng	5	1320
Landa, Evgeny, see Khaidukov, Valery	6	1478
Landrø, Martin, Quantitative estimation of compaction and velocity changes using 4D impedance and traveltime changes	4	949
Larner, K., see Alvarez, G.	1	275
Larner, Ken, see Perez, Gabriel	4	1091
Lawton, D. C., see Isaac, J. H.	3	681
Layered and laterally constrained 2D inversion of resistivity data, E. Auken and A. V. Christiansen	3	752
Least-squares inversion of in-situ sonic Q measurements: Stability and resolution, A. Dasios, C. McCann, and T. Astin	2	378
Lebedev, Andrey V., Nonlinear distortion of signals radiated by vibroseis sources	4	968
Lee, J. L. C., see Beard, L. P.	3	664
Legall, F. D., see Atekwana, Estella A.	1	56
Lesur,V., see Mushayandebvu, M. F.	2	489
Li, Y., see Lyrio, J. C. S. de O.	3	772
Linde, Niklas, Characterization of a fractured granite using radio magnetotelluric (RMT) data	5	1155
Linde, Niklas, Evidence of electrical anisotropy in limestone formations using the RMT technique	4	909
Linearized least-squares method for interpretation of potential-field data from sources of simple geometry, A. Salem, D. Ravat, M. F. Mushayandebvu, and K. Ushijima	3	783
Liner, Christopher L., Nonlinear pairwise alignment of seismic traces	6	1552
Link, C. A., see Dorrington, K. P.	1	212
Liu, Bin, Minimum weighted norm interpolation of seismic records	6	1560
Long, R., Measurement of acoustic properties of near-surface soils using an ultrasonic waveguide	2	460
Lowe, M., see Long, R.	2	460
Lu, S., Elastic impedance inversion of multichannel seismic data from unconsolidated sediments containing gas hydrate and free gas	1	164
Lu, X., see Tompkins, M. J.	1	140
Luo, M., An amplitude-based multiazimuthal approach to mapping fractures using P-wave 3D seismic data	3	690
Lyrio, J. C. S. de O., Efficient automatic denoising of gravity gradiometry data	3	772
MacBeth, C., A classification for the pressure-sensitivity properties of a sandstone rock frame	2	497
Maeland, E., Sampling, aliasing, and inverting the linear Radon transform	3	859
Majer, E. L., see Daley, T. M.	1	16
Malinverno, Alberto, Expanded uncertainty quantification in inverse problems: Hierarchical Bayes and empirical Bayes	4	1005
Malusa, Massimo, see Poletto, Flavio	5	1261
Matrix propagator method for layered porous media: Analytical expressions and stability criteria, Jeroen Jocker, David Smeulders, Guy Drijkoningen, Caroline van der Lee, and Alina Kalfsbeek	4	1071
Matthews, L., see Bellefleur, G.	2	318
Maurer, H., see Stummer, P.	1	120
Mavko, Gary, see Eidsvik, Jo	4	978
Mazzella, A. T., see Ellefsen, K. J.	1	56
McCann, C., see Dasios, A.	2	378
McMechan, G. A., see Lu, S.	1	164
McMechan, G. A., see Sun, R.	1	286
McMechan, George A., see Yu, Zhou	6	1505
Means, J., see Atekwana, Estella A.	1	56
Measurement of acoustic properties of near-surface soils using an ultrasonic waveguide, R. Long, T. Vogt, M. Lowe, and P. Cawley	2	460
Mendonça, Carlos Alberto, Automatic determination of the magnetization-density ratio and magnetization inclination from the joint interpretation of 2D gravity and magnetic anomalies	4	938
Mendonça, Carlos Alberto, Inversion of gravity-field inclination to map the basement relief of sedimentary basins	5	1240
Migration of ground-penetrating radar data with a finite-element method that considers attenuation and dispersion, Q. Di and M. Wang	2	472
Migration velocity analysis in factorized VTI media, D. Sarkar and I. Tsvankin	3	708
Milligan, P., see Hoversten, G. M.	2	406
Minimum weighted norm interpolation of seismic records, Bin Liu and Mauricio D. Sacchi	6	1560
Minkoff, S. E., Coupled geomechanics and flow simulation for time-lapse seismic modeling	1	200
Miranda, Francesco, see Poletto, Flavio	5	1261
Mitsuhata, Y., 3D magnetotelluric modeling using the T-W finite-element method	1	108
Modeling offset-dependent reflectivity for time-lapse monitoring of water-flood production in thin-layered reservoirs, S. J. Ellison, M. G. Imhof, C. Çoruh, A. D. Fuqua, and S. C. Henry	1	25
Moret, G. J. M., VSP traveltime inversion: Near-surface issues	2	345

	Issue	Page
Moser, Tijmen Jan, see Khaidukov, Valery	6	1478
Muijs, Remco, Data-driven adaptive decomposition of multicomponent seabed recordings	5	1329
Mukerji, Tapan, see Bachrach, Ran	6	1443
Mukerji, Tapan, see Bachrach, Ran	6	1456
Mukerji, Tapan, see Bachrach, Ran	6	1513
Mukerji, Tapan, see Eidsvik, Jo	4	978
Mukherjee, Souvik, see Zhdanov, Michael S.	4	925
Mulder, Wim A., A comparison between one-way and two-way wave-equation migration	6	1491
Müller, C., see Bellefleur, G.	2	318
Müller, Tobias M., One-dimensional random patchy saturation model for velocity and attenuation in porous rocks	5	1166
Müller, Tobias M., Scattering attenuation in randomly layered structures with finite lateral extent: A hybrid Q model	6	1530
Multiple prediction through inversion: A fully data-driven concept for surface-related multiple attenuation, Y. Wang	2	547
Multiple reflection and transmission phases in complex layered media using a multistage fast marching method, N. Rawlinson and M. Sambridge	5	1338
Mushayandebvu, M. F., Grid Euler deconvolution with constraints for 2D structures	2	489
Mushayandebvu, M. F., see Salem, A.	3	783
Newman, Gregory, see Commer, Michael	5	1192
Nonlinear and dispersive acoustic wave propagation, K. Hokstad	3	840
Nonlinear distortion of signals radiated by vibroseis sources, Andrey V. Lebedev and Igor A. Beresnev	4	968
Nonlinear pairwise alignment of seismic traces, Christopher L. Liner and Robert G. Clapp	6	1552
Nonlinear rock physics model for estimation of 3D subsurface stress in anisotropic formations: Theory and laboratory verification, R. Prioul, A. Bakulin, and V. Bakulin	2	415
Nonstretch NMO, H. Perroud and M. Tygel	2	599
Numerical analysis of near-borehole and anisotropic layer effects on the response of multicomponent induction logging tools, M. J. Tompkins, D. L. Alumbaugh, D. T. Stanley, and X. Lu	1	140
Numerical analysis of the azimuth moveout operator for vertically inhomogeneous media, T. T. Alkhalifah and B. L. Biondi	2	554
Numerical study of electromagnetic waves generated by a prototype dielectric logging tool, K. J. Ellefsen, J. D. Abraham, D. L. Wright, and A. T. Mazzella	1	64
Nuzzo, L., Improvement in GPR coherent noise attenuation using τ-p and wavelet transforms	3	789
Oldenburg, Douglas W., see Haber, Eldad	5	1216
Omre, Henning, see Eidsvik, Jo	4	978
One-dimensional random patchy saturation model for velocity and attenuation in porous rocks, Tobias M. Müller and Boris Gurevich	5	1166
1.5D inversion of lateral variation of Scholte-wave dispersion, T. Bohlen, S. Kugler, G. Klein, and F. Theilen	2	330
Pabon, J., see Asvadurov, S.	3	817
Papers from other Journals	1	305
	2	637
	4	1115
	5	1360
	6	1577
Parameter inversion and angle migration in anisotropic elastic media, Bjørn Ursin	5	1125
Parkin, J. M., see Gulati, J. S.	2	386
Parra, Jorge O., see Hackert, Chris L.	6	1521
Pech A., Quartic moveout coefficient for a dipping azimuthally anisotropic layer	3	699
Pedersen, Laust B., see Linde, Niklas	4	909
Pedersen, Laust B., see Linde, Niklas	5	1155
Perez, Gabriel, The quality of the surface-consistency assumption in short-wavelength static correction	4	1091
Perroud, H., Nonstretch NMO	2	599
Peszynska, M., see Minkoff, S. E.	1	200
Peterson, J. E., see Daley, T. M.	1	16
Plessix, René-Édouard, see Mulder, Wim A.	6	1491
Poletto, Flavio, Seismic-while-drilling by using dual sensors in drill strings	5	1261
Portable dense geophone array for shallow and very shallow 3D seismic reflection surveying: Part 1 — Data acquisition, QC, and processing, Ran Bachrach and Tapan Mukerji	6	1443
Portable dense geophone array for shallow and very shallow 3D seismic reflection surveying: Part 2 — 3D imaging tests, Ran Bachrach and Tapan Mukerji	6	1456
Powojowski, M., see Slawinski, M. A.	2	373
Pramanik, A. G., Estimation of effective porosity using geostatistics and multiattribute transforms: A case study	2	352
Pratt, R. G., see Sirgue, L.	1	231
Pressure-dependent seismic response of fractured rock, Evgenii A. Kozlov	4	885

	Issue	Page
Prestack inversion of a Gulf of Thailand OBC data set, Indrajit G. Roy, Mrinal K. Sen, Carlos Torres-Verdín, and Omar J. Varela	6	1470
Prioul, R., Nonlinear rock physics model for estimation of 3D subsurface stress in anisotropic formations: Theory and laboratory verification	2	415
Processing of anisotropic data in the τ-p domain: I — Geometric spreading and moveout corrections, M. van der Baan	3	719
Professional Directory	1	A-4
	2	A-4
	3	A-4
	4	A-4
	5	A-4
	6	A-4
Quantitative estimation of compaction and velocity changes using 4D impedance and traveltime changes, Martin Landrø and Jan Stammeijer	4	949
Quarta, T., see Nuzzo, L.	3	789
Quartic moveout coefficient for a dipping azimuthally aniso-tropic layer, A. Pech and I. Tsvankin	3	699
Ramachandran, Kumar, see Hammer, Philip T. C.	5	1143
Rampa, V., see Bernasconi, G.	3	849
Ravat, D., see Salem, A.	3	783
Rawlinson, N., Multiple reflection and transmission phases in complex layered media using a multistage fast marching method	5	1338
Rector III, J. W., see Grechka, V.	2	576
Reid, A. B., see Mushayandebvu, M. F.	2	489
Reid, James E., A comparison of the inductive-limit footprints of airborne electromagnetic configurations	5	1229
Relative performance of moveout-based multiple-suppression methods for amplitude variation with offset (AVO) analysis and common midpoint (CMP) stacking, G. Alvarez and K. Larner	1	275
Revisiting the Wyllie time average equation in the case of near-spherical pores, A. A. Saleh and J. P. Castagna	1	45
Rickett, James, see Vasco, Don W.	6	1425
Ridge-regression algorithm for gravity inversion of fault structures with variable density, Vishnubhotla Chakravarthi and Narasimman Sundararajan	6	1394
Robertsson, Johan O. A., see Muijs, Remco	5	1329
Rossbach, S., see Atekwana, Estella A.	1	56
Roy, Indrajit G., Prestack inversion of a Gulf of Thailand OBC data set	6	1470
Sacchi, Mauricio D., see Liu, Bin	6	1560
Saenger, E. H., Finite-difference modeling of viscoelastic and anisotropic wave propagation using the rotated staggered grid	2	583
Sailhac, P., see Keating, P.	1	180
Saleh, A. A., Revisiting the Wyllie time average equation in the case of near-spherical pores	1	45
Salem, A., Linearized least-squares method for interpretation of potential-field data from sources of simple geometry	3	783
Sambridge, M., see Rawlinson, N.	5	1338
Sampling, aliasing, and inverting the linear Radon transform, E. Maeland	3	859
Santos, L. T., Impedance-type approximations of the P-P elastic reflection coefficient: Modeling and AVO inversion	2	592
Sarkar D., Migration velocity analysis in factorized VTI media	3	708
Sauck, W. A., see Atekwana, Estella A.	1	56
Scattering attenuation in randomly layered structures with finite lateral extent: A hybrid Q model, Tobias M. Müller and Serge A. Shapiro	6	1530
Schleicher, Jörg, Controlling amplitudes in 2.5D common-shot migration to zero offset	5	1299
Scholl, C., see Hördt, A.	1	87
Seismic imaging of reservoir flow properties: Time-lapse amplitude changes, Don W. Vasco, Akhil Datta-Gupta, Ron Behrens, Pat Condon, and James Rickett	6	1425
Seismic imaging of reservoir flow properties: Time-lapse pressure changes, D. W. Vasco	2	511
Seismic low-frequency effects in monitoring fluid-saturated reservoirs, V. A. Korneev, G. M. Goloshubin, T. M. Daley, and D. B. Silin	2	522
Seismic-while-drilling by using dual sensors in drill strings, Flavio Poletto, Massimo Malusa, Francesco Miranda, and Umberta Tinivella	5	1261
Sen, M., see Tsoflias, G. P.	3	803
Sen, M. K., see Kumar, D.	1	37
Sen, Mrinal K., see Roy, Indrajit G.	6	1470
Separating P- and S-waves in prestack 3D elastic seismograms using divergence and curl, R. Sun, G. A. McMechan, H-H. Hsiao, and J. Chow	1	286
Shapiro, Serge A., see Müller, Tobias M.	6	1530
Shear waves in acoustic anisotropic media, V. Grechka, L. Zhang, and J. W. Rector III	2	576
Shi, Yaolin, see Zhang, Jian	4	917
Shinozaki, Yuzo, see Cho, Ikuo	6	1535
Signorelli, J., see Wang, T.	1	152
Silin, D. B., see Korneev, V. A.	2	522

	Issue	Page
Silva, João B. C., Generalized radial inversion of 2D potential-field data	6	1405
Simple expressions for normal-incidence reflection coefficients from an interface between fluid-saturated porous materials, Boris Gurevich, Radim Ciz, and Arthur I. M. Denneman	6	1372
Singh, V., see Pramanik, A. G.	2	352
Sirgue, L., Efficient waveform inversion and imaging: A strategy for selecting temporal frequencies	1	231
Skeletonization of aeromagnetic data, D. Eaton and K. Vasudevan	2	478
Slater, L., see Kemna, A.	1	97
Slater, L., see Ulrich, C.	3	762
Slawinski, M. A., VSP traveltime inversion for linear inhomogeneity and elliptical anisotropy	2	373
Slowness-weighted diffraction stack for migrating wide-angle seismic data in laterally varying media, Harm J. A. Van Avendonk	4	1046
Smeulders, David, see Jocker, Jeroen	4	1071
Smith, R. S., see Vallée, M. A.	1	191
Snieder, R., see Spetzler, J.	3	653
Snyder, D., see Bellefleur, G.	2	318
Specular ray parameter extraction and stationary-phase migration, J. Chen	1	249
Spetzler, J., The Fresnel volume and transmitted waves	3	653
Srivastava, A. K., see Pramanik, A. G.	2	352
Stammeijer, Jan, see Landrø, Martin	4	949
Stanley, D. T., see Tompkins, M. J.	1	140
Stewart, R. R., see Gulati, J. S.	2	386
St-Hilaire, C., see Vallée, M. A.	1	191
Stochastic reservoir characterization using prestack seismic data, Jo Eidsvik, Per Avseth, Henning Omre, Tapan Mukerji, and Gary Mavko	4	978
Stoffa, P. L., see Tsoflias, G. P.	3	803
Stolk, C. C., Kinematic artifacts in prestack depth migration	2	562
Stone, C. M., see Minkoff, S. E.	1	200
Stummer, P., Experimental design: Electrical resistivity data sets that provide optimum subsurface information	1	120
Sun, R., Separating P- and S-waves in prestack 3D elastic seismograms using divergence and curl	1	286
Sun, Jianguo, True-amplitude weight functions in 3D limited-aperture migration revisited	4	1025
Sundararajan, Narasimman, see Chakravarthi, Vishnubhotla	6	1394
Swinnen, Gerd, see Thorbecke, Jan W.	4	1037
Symes, W. W., see Stolk, C. C.	2	562
Symes, William W., see Biondi, Biondo	5	1283
Tabarovsky, Lev, see Zhang, Zhiyi	4	898
Tada, Taku, see Cho, Ikuo	6	1535
Tang, Xiaoming M., Imaging near-borehole structure using directional acoustic-wave measurement	6	1378
Tenorio, L., see Lyrio, J. C. S. de O.	3	772
Texture model regression for effective feature discrimination: Application to seismic facies visualization and interpretation, Dengliang Gao	4	958
The effect of local distortions on time-domain electromagnetic measurements, A. Hördt and C. Scholl	1	87
The effect of texture and porosity on seismic reflection amplitude in granular sediments: Theory and examples from high-resolution shallow seismic experiment, Ran Bachrach and Tapan Mukerji	6	1513
The Fresnel volume and transmitted waves, J. Spetzler and R. Snieder	3	653
The isochron ray in seismic modeling and imaging, Einar Iversen	4	1053
The optimization approach to lithological tomography: Combining seismic data and petrophysics for porosity prediction, Miguel Bosch	5	1272
The physics and simulation of wave propagation at the ocean bottom, J. M. Carcione and H. B. Helle	3	825
The quality of the surface-consistency assumption in short-wavelength static correction, Gabriel Perez and Ken Larner	4	1091
Theilen, F., see Bohlen, T.	2	330
This Issue of Geophysics, Gerard Schuster, Editor	1	13
	2	315
	3	651
	4	875
	5	1123
	6	1371
Thorbecke, Jan W., Design of one-way wavefield extrapolation operators, using smooth functions in WLSQ optimization	4	1037
Three-dimensional crustal structure of central Taiwan from gravity inversion with a parallel genetic algorithm, Jian Zhang, Chi-Yuen Wang, Yaolin Shi, Yongen Cai, Wu-Cheng Chi, Douglas Dreger, Win-Bin Cheng, and Yen-Horng Yuan	4	917
3D magnetotelluric modeling using the T-W finite-element method, Y. Mitsuhata and T. Uchida	1	108
Three-dimensional regularized focusing inversion of gravity gradient tensor component data, Michael S. Zhdanov, Robert Ellis, and Souvik Mukherjee	4	925

	Issue	Page
Tinivella, Umberta, see Poletto, Flavio	5	1261
Tiwary, D. N., see Pramanik, A. G.	2	352
Tompkins, M. J., Numerical analysis of near-borehole and anisotropic layer effects on the response of multicomponent induction logging tools	1	140
Torres-Verdín, Carlos, see Alpak, Faruk O.	5	1173
Torres-Verdín, Carlos, see Roy, Indrajit G.	6	1470
Transient electromagnetic responses of 3D polarizable body, H. M. El-Kaliouby and E. A. Eldiwany	2	426
Traveltime calculation and prestack depth migration in tilted transversely isotropic media, D. Kumar, M. K. Sen, and R. J. Ferguson	1	37
Tronicke, J., see Becht, A.	1	222
Tronicke, Jens, Effects of gas- and water-filled boreholes on the amplitudes of crosshole georadar data as inferred from experimental evidence	5	1255
True-amplitude weight functions in 3D limited-aperture migration revisited, Jianguo Sun	4	1025
Two- and three-dimensional electrical resistivity imaging at a heterogeneous remediation site, L. R. Bentley and M. Gharibi	3	674
Tryggvason, Ari, see Bergman, Björn	4	1082
Tsoflias, G. P., Vertical fracture detection by exploiting the polarization properties of ground-penetrating radar signals	3	803
Tsvankin, I., see Pech, A.	3	699
Tsvankin, I., see Sarkar, D.	3	708
Tygel, M., see Perroud, H.	2	599
Tygel, M., see Santos, L. T.	2	592
Uchida, T., see Mitsuhata, Y.	1	108
Ulrich, C., Induced polarization measurements on unsaturated, unconsolidated sands	3	762
Ursin, Bjørn, Parameter inversion and angle migration in anisotropic elastic media	5	1125
Use of the analytic signal to identify magnetic anomalies due to kimberlite pipes, P. Keating and P. Sailhac	1	180
Ushijima, K., see Salem, A.	3	783
Vallée, M. A., Estimating depth and model type using the continuous wavelet transform of magnetic data	1	191
Van Avendonk, Harm J. A., Slowness-weighted diffraction stack for migrating wide-angle seismic data in laterally varying media	4	1046
van der Baan, M., Processing of anisotropic data in the τ-p domain: I — Geometric spreading and moveout corrections	3	719
van der Lee, Caroline, see Jocker, Jeroen	4	1071
Van Gestel, J.-P., see Tsoflias, G. P.	3	803
Varela, Omar J., see Roy, Indrajit G.	6	1470
Vasco, D. W., Seismic imaging of reservoir flow properties: Time-lapse pressure changes	6	1425
Vasco, Don W., Seismic imaging of reservoir flow properties: Time-lapse amplitude changes	2	511
Vasudevan, K., see Eaton, D.	2	478
Velocity model estimation with data-derived wavefront attributes, E. Duveneck	1	265
Vertical fracture detection by exploiting the polarization properties of ground-penetrating radar signals, G. P. Tsoflias, J.-P. Van Gestel, P. L. Stoffa, D. D. Blankenship, and M. Sen	3	803
Vig, R., see Pramanik, A. G.	2	352
Viscous deformation of unconsolidated reservoir sands— Part 1: Time-dependent deformation, frequency dispersion, and attenuation, P. N. Hagin and M. D. Zoback	3	731
Viscous deformation of unconsolidated reservoir sands— Part 2: Linear viscoelastic models, P. N. Hagin and M. D. Zoback	3	742
Vogt, T., see Long, R.	2	460
Vrbancich, Julian, see Reid, James E.	5	1216
VSP traveltime inversion for linear inhomogeneity and elliptical anisotropy, M. A Slawinski, C. J. Wheaton, and M. Powojowski	2	373
VSP traveltime inversion: Near-surface issues, G. J. M. Moret, W. P. Clement, M. D. Knoll, and W. Barrash	2	345
Wan, Tianfeng, see Zeng, Hualin	5	1252
Wang, C., Accurate spatial directional derivative: Antialiasing Kirchhoff migration	3	811
Wang, Chi-Yuen, see Zhang, Jian	4	917
Wang, M., see Di, Q.	2	472
Wang, T., Finite-difference modeling of electromagnetic tool response for logging while drilling	1	152
Wang, Y., Multiple prediction through inversion: A fully data-driven concept for surface-related multiple attenuation	2	547
Wapenaar, Kees, see Thorbecke, Jan W.	4	1037
Washbourne, J., see Hoversten, G. M.	2	406
Wavefield interpolation in the Fourier wavefield extrapolation, L.-Y. Fu	1	257
Wavelet-transform-based prestack multiscale Kirchhoff migration, Zhou Yu, George A. McMechan, Phil D. Anno, and John F. Ferguson	6	1505
Welford, J. Kim, Ground-roll suppression from deep crustal seismic reflection data using a wavelet-based approach: A case study from western Canada	4	877

	Issue	Page
Werkema Jr., D. D., see Atekwana, Estella A.	1	56
Wheaton, C. J., see Slawinski, M. A.	2	373
Won, I. J., see Huang, Haoping	6	1387
Wright, D. L., see Ellefsen, K. J.	1	56
Xu, Sheng, Fast migration/inversion with multivalued ray fields: Part 1 — Method, validation test, and application in 2D to Marmousi	5	1311
Xu, Sheng, Fast migration/inversion with multivalued ray fields: Part 2 — Applications to the 3D SEG/EAGE salt model	5	1320
Yan, S., An analytical method to estimate shadow and source overprint effects in CSAMT sounding	1	161
Yin, C., Attitude corrections of helicopter EM data using a superposed dipole model	2	431
Yin, Changchun, see Fitterman, David V.	5	1203
Yu, Liming, see Zhang, Zhiyi	4	898
Yu, Zhou, Wavelet-transform-based prestack multiscale Kirchhoff migration	6	1505
Yuan, Yen-Horng, see Zhang, Jian	4	917
Zeng, Hualin, Clarification of the geophysical definition of a gravity field	5	1252
Zhang, Jian, Three-dimensional crustal structure of central Taiwan from gravity inversion with a parallel genetic algorithm	4	917
Zhang, L., see Grechka, V.	2	576
Zhang, Rongfeng, see Welford, J. Kim	4	877
Zhang, Zhiyi, Determination of relative angles and anisotropic resistivity using multicomponent induction logging data	4	898
Zhdanov, Michael S., Three-dimensional regularized focusing inversion of gravity gradient tensor component data	4	925
Zoback, M. D., see Hagin, P. N.	3	731
Zoback, M. D., see Hagin, P. N.	3	742